

TABLE F.3.2.2–1.—Characteristics of Site 300 Wetlands

Wetland	Type	Characteristic Species	Acreage	Jurisdictional Assessment	Jurisdictional Acreage
1	Vernal pool	<i>Crypsis schoenoides, Gnapahalium palustre, Amaranthus albus. Polypogon monspeliensis, Epilobium cleistogamum</i>	0.597	CRLF breeding site	0.597
2	Vernal pool	<i>Plagiobothrys stipitatus, Deschampsia danthonioides, Epilobium cleistogamum, Eleocharis macrostachya</i>	0.325	CRLF breeding site	0.325
3	Vernal pool	<i>Hordeum marinum ssp. gussoneanum, Polypogon monspeliensis</i>	0.018	Isolated	
Vernal pool acreage, subtotal			0.94		0.922
4	Freshwater seep		0.199	Tributary	0.199
5	Freshwater seep	<i>Baccharis salicifolius, Leymus triticoides</i>	0.017	Tributary	0.017
6	Freshwater seep	<i>Leymus triticoides</i>	0.054	CRLF nonbreeding site	0.054
7	Freshwater seep	<i>Polypogon monspeliensis, Leymus triticoides, Typha angustifolia</i>	0.101	Tributary, CRLF breeding site	0.101
8	Freshwater seep	<i>Utica dioica, Polypogon onspeliensis, Typha angustifolia</i>	0.023	Isolated	
9	Freshwater seep	<i>Urtica dioica</i>	0.033	Isolated	
10	Freshwater seep	<i>Typha angustifolia, Distichlis spicata</i>	0.443	Isolated	
11	Freshwater seep	<i>Typha angustifolia, Polypogon monspeliensis</i>	0.025	Isolated	
12	Freshwater seep	<i>Typha angustifolia, Stachys albens, Distichlis spicata, Leymus triticoides, Baccharis salicifolius, Urtica urens</i>	1.141	Tributary, CRLF breeding & nonbreeding sites	1.141
13	Freshwater seep	<i>Urtica dioica</i>	0.099	Isolated	
14	Freshwater seep		0.008	Artificial	
15	Freshwater seep		0.013	Artificial	

TABLE F.3.2.2–1.—Characteristics of Site 300 Wetlands (continued)

Wetland	Type	Characteristic Species	Acreage	Jurisdictional Assessment	Jurisdictional Acreage
17	Freshwater seep	<i>Leymus triticoides, Baccharis salicifolius</i>	0.217	CRLF nonbreeding site	0.217
18	Freshwater seep	<i>Typha angustifolia, Leymus triticoides</i>	0.078	Isolated	
19	Freshwater seep	<i>Baccharis salicifolius, Leymus triticoides</i>	0.111	Isolated	
20	Freshwater seep	<i>Typha angustifolia, Baccharis salicifolius, Leymus triticoides, Salix laevigata, Populus fremontii</i>	0.689	CRLF nonbreeding site	0.689
21	Freshwater seep	<i>Typha angustifolia, Baccharis salicifolius, Leymus triticoides, Nicotiana glauca</i>	0.288	Isolated	
22	Freshwater seep	<i>Typha angustifolia, Stachys albens, Leymus triticoides</i>	0.147	Isolated	
23	Freshwater seep	<i>Typha angustifolia, Stachys albens, Leymus triticoides</i>	0.118	Isolated	
24	Freshwater seep	<i>Typha angustifolia, Leymus triticoides</i>	0.082	Isolated	
25	Freshwater seep	<i>Typha angustifolia, Leymus triticoides</i>	0.026	Isolated	
27	Freshwater seep	<i>Typha angustifolia, T. latifolia</i>	0.575	Artificial, CRLF breeding site	
28	Freshwater seep	<i>Salix laevigata, Typha angustifolia, Urtica Dioica, Nasturtium officinale</i>	0.056	Isolated	
29	Freshwater seep	<i>Typha angustifolia, Polypogon monspeliensis</i>	0.031	Artificial	
30	Freshwater seep	<i>Polypogon monspeliensis, Baccharis salicifolius</i>	0.043	Artificial	
31	Freshwater seep/Great Valley willow scrub	<i>Typha angusutifolia/latifolia, Urtica dioica, Salix laevigata, Nasturtium officinale</i>	0.774	CRLF nonbreeding site	0.774
32	Freshwater seep	<i>Typha angustifolia, Urtica dioica, Leymus triticoides</i>	0.076	Isolated	
33	Freshwater seep	<i>Typha angustifolia, Urtica dioica, Leymus triticoides</i>	0.029	Isolated	
34	Freshwater seep	<i>Typha angustifolia, Urtica dioica, Leymus triticoides</i>	0.018	Isolated	
35	Freshwater seep	<i>Utica dioica, Marrubium vulgare</i>	0.046	Isolated	

TABLE F.3.2.2–1.—Characteristics of Site 300 Wetlands (continued)

Wetland	Type	Characteristic Species	Acreage	Jurisdictional Assessment	Jurisdictional Acreage
36	Freshwater seep	<i>Urtica dioica, Marrubium vulgare, Polypogon monspeliensis, Typha angustifolia, Cyperus eragrostis</i>	0.048	Isolated	
37	Freshwater seep	<i>Baccharis salicifolius, Polypogon monspeliensis, Typha angustifolia</i>	0.071	Isolated	
38	Freshwater seep	<i>Leymus triticoides, Typha angustifolia, Polypogon monspeliensis</i>	0.034	Isolated	
39	Freshwater seep	<i>Typha angustifolia, Urtica dioica, Polypogon monspeliensis, Xanthium strumarium, Leymus triticoides</i>	0.498	Isolated	
42	Freshwater seep	<i>Typha angustifolia, Polypogon monspeliensis, Rumex crispus, Asclepias fascicularis, Carduus pycnocephalus</i>	0.036	Isolated	
43	Freshwater seep	<i>Typha angustifolia, Salix laevigata, Polypogon monspeliensis, Baccharis salicifolius, Leymus triticoides</i>	0.492	Isolated	
44	Freshwater seep	<i>Typha angustifolia, Leymus triticoides, Distichlis spicata</i>	0.266	Isolated	
45	Freshwater seep	<i>Leymus triticoides, Juncus balticus</i>	0.153	Isolated	
Freshwater seep, subtotal				7.158	3.192
16	Seasonal pond	<i>Conyza canadensis, Leymus triticoides, Baccharis salicifolius</i>	0.094	Isolated CRLF nonbreeding	
26	Seasonal pond	<i>Polypogon monspeliensis</i>	0.018	site	0.018
40	Seasonal pond	<i>bare</i>	0.029	CRLF breeding site	0.029
41	Seasonal pond	<i>bare</i>	0.139	Isolated	
		<i>Lepidium latifolium, Heliotropium curassavicum</i>			
46	Seasonal pond	<i>(sparse vegetation)</i>	0.227	CRLF breeding site	0.227
Seasonal pond, subtotal				0.507	0.274
Wetlands, Total				8.605	4.388

Source: Jones and Stokes 2002c.
CRLF = California red-legged frogs