

CONTENTS

- I. Summary I-1

- II. Description of the Proposed Action II-1
 - A. Purpose II-1
 - B. Policies and Objectives II-2
 - C. Short-Term and Long-Term Benefits Expected from Implementation II-2
 - D. Relationship to Hanford and Idaho Defense Waste Programs, and to Possible Future Commercially Generated Waste II-3
 - E. Exclusion of Savannah River Wastes Other Than High Level from This Document II-4
 - F. Sequential Long-Term HLW Management Decisions for SR, ID, and RL II-4
 - G. History of Reviews of the Long-Range Waste Management Program at SRP II-5
 - 1. NAS (Through 1965) II-5
 - 2. GAO II-7
 - 3. S.C. Legislature II-7
 - 4. Consultant Panel II-8
 - 5. NAS (Present Committee) II-8
 - 6. Bedrock Explorations II-12
 - H. References for Section II II-13

- III. Characterization of the Existing Environment III-1
 - A. Site Location III-1
 - B. Site Characteristics III-4
 - 1. Introduction III-4
 - 2. Geology III-4
 - 3. Hydrology III-6
 - 4. Local Climate and Meteorology III-9

- III. Characterization of the Existing Environment (Contd)
 - 5. Seismicity III-11
 - 6. Biota III-12
 - 7. Background Radiation III-12
 - 8. Environmental Park III-12
 - 9. Environmental Studies by Outside Contractors, Universities, and Researchers III-13
 - 10. Historic and National Landmarks III-13
 - C. Surrounding Region III-14
 - 1. Demography III-14
 - 2. Regional Land Use III-14
 - 3. Nearby Nuclear Facilities III-14
 - D. References for Section III III-17
- IV. Background IV-1
- A. Description of SRP High-Level Liquid Waste IV-1
 - 1. Characteristics of Waste IV-1
 - 2. Characteristics of Reconstituted Waste for Long-Term Management IV-4
 - 3. Differences Between Savannah River, Hanford, Idaho, and Commercial Wastes IV-10
 - B. Technology of Three Alternatives for Long-Term Waste Management IV-10
 - 1. Alternative 1 – Continue Storage in Tanks IV-10
 - 2. Alternative 2, Subcase 1 – Immobilize and Ship to a Federal Repository IV-12
 - 3. Alternative 2, Subcase 2 – Immobilize and Store in Surface Facility at SRP IV-17
 - 4. Alternative 2, Subcase 3 – Immobilize and Dispose of in an SRP Bedrock Cavern IV-18
 - 5. Alternative 3 – Dispose of Liquid Waste in an SRP Bedrock Cavern IV-19
 - C. Alternatives for Decontaminated Salt Storage IV-21
 - 1. Description of Decontaminated Salt IV-21
 - 2. Alternative Storage Modes IV-23

IV. Background (Contd)

- D. Alternative Waste Immobilization Forms IV-25
 - 1. Waste Form Requirements IV-25
 - 2. Borosilicate Glass Waste Forms IV-27
 - 3. Other Waste Immobilization Forms IV-31
 - 4. Waste Form Development Program IV-33
 - 5. Canister and Engineered Barrier Programs IV-39
 - 6. High-Level Waste Forms Characterization IV-40
- E. References for Section IV IV-42

V. Potential Environmental Effects V-1

- A. Potential Effects of Construction Activities for Each Alternative V-1
 - 1. Land-Use Effects V-1
 - 2. Impact on Animal and Plant Communities V-2
 - 3. Impact on Air and Water Quality V-3
 - 4. Other Potential Impacts V-4
- B. Potential Effects from Normal Operations for Each Alternative V-6
 - 1. Occupational Radiation Exposures V-6
 - 2. Non-Nuclear Occupational Risks V-12
 - 3. Offsite Radiation Exposures V-12
 - 4. Nonradioactive Pollutants V-18
 - 5. Thermal Discharges V-21
- C. Potential Effects from Abnormal Events for Each Alternative V-23
 - 1. Occupational Radiation Exposures V-25
 - 2. Non-Nuclear Occupational Risks V-25
 - 3. Offsite Radiation Exposures V-26
 - 4. Offsite Land Contamination V-34
 - 5. Nonradioactive Pollutants V-37
- D. Potential Effects from Decommissioning V-38
 - 1. Description of Decommissioning Technology V-38
 - 2. Decommissioning Options V-40
 - 3. Occupational Radiation Exposure and Non-Nuclear Occupational Effects V-41

V.	Potential Environmental Effects (Contd)	
4.	Offsite Effects	V-42
5.	Impacts to Future Generations from Decommissioned Facilities and Land	V-42
E.	Potential Effects from Decontaminated Salt Storage	V-43
1.	Storage in Waste Tanks at SRP	V-43
2.	Can and Store in an Onsite Surface Vault	V-43
3.	Can and Store in an Offsite Federal Repository	V-45
F.	Secondary (Indirect) Environmental Effects of Alternatives	V-48
G.	References for Section V	V-49
VI.	Unavoidable Adverse Environmental Effects	VI-1
A.	Radiation Exposures	VI-1
B.	Non-Nuclear Events	VI-1
C.	Other	VI-2
VII.	Irreversible and Irretrievable Commitments of Resources	VII-1
VIII.	Relationship Between Alternatives and Land-Use Plans, Policies, and Controls	VIII-1
IX.	Short-Term Uses and Long-Term Productivity	IX-1
A.	Short-Term Effects	IX-1
1.	Gains	IX-1
2.	Losses	IX-2
B.	Long-Term Effects	IX-2
1.	Gains	IX-2
2.	Losses	IX-2

- X. Monetary Costs of Each Alternative X-1
 - A. General Considerations X-1
 - B. Cost Centers X-2
 - C. Results X-4
 - D. References for Section X-9

- XI. Cost-Risk-Benefit Considerations XI-1
 - A. Methodology XI-1
 - 1. Monetary Valuation of Risks XI-1
 - 2. Ranking According to Total Effective Cost XI-5
 - 3. Incremental Cost-Risk XI-6
 - B. Results XI-7
 - 1. Total Effective Cost and Incremental Cost Risk XI-7
 - 2. Comparison of Risks with Natural Background and Standards XI-7
 - C. Sensitivity Analysis XI-14
 - D. Corrective Actions XI-17
 - 1. Corrective Action A -- Reduction of Atmospheric Exposure XI-18
 - 2. Corrective Action B -- Reduction of River Water Exposure XI-20
 - 3. Corrective Action C -- Reduction of Tuscaloosa Aquifer Exposure XI-20
 - 4. Corrective Action D -- Repair of Shaft Breakage to Re-isolate SRP Bedrock Storage from Tuscaloosa Aquifer XI-21
 - E. References for Section XI-22

XII. Environmental Trade-Offs Among Alternatives XII-1

References for Section XII XII-6

Appendix A. Summary of Substantive Issues Covered in
Comment Letters A-1

Appendix B. Major Comments and DOE Responses B-1

Appendix C. Glossary of Terms and Abbreviations C-1

LIST OF TABLES

I-1	Quantifiable Environmental Impacts and Costs	I-5
I-2	Summary of Difficult-to-Quantify Factors	I-5
IV-1	Average Chemical Composition of Fresh SRP High-Level Waste	IV-2
IV-2	Average Radionuclide Composition of Fresh SRP High-Level Waste	IV-3
IV-3	Average Radionuclide Composition of SRP High-Level Sludge	IV-8
IV-4	Average Radionuclide Composition of SRP High-Level Supernate	IV-8
IV-5	Chemical Composition of Reconstituted SRP High-Level Waste	IV-9
IV-6	Radionuclide Content of Reconstituted SRP High-Level Waste (1985)	IV-9
IV-7	Radionuclide Content of Decontaminated Salt Cake	IV-22
IV-8	Chemical Composition of Decontaminated, Crystallized Salt	IV-23
IV-9	International HLW Immobilization Status	IV-28
IV-10	Composition of Typical SRP Borosilicate Glass	IV-29
IV-11	High-Level Nuclear Waste Immobilization Forms — Properties Comparison	IV-32
IV-12	Alternate Waste Form Development	IV-35
V-1	SRP Whole Body Occupational Exposure Experience	V-7
V-1A	SRP Reprocessing Area Whole Body Occupational Exposure Experience	V-7
V-2	Occupational Radiation Exposures Based on SRP Experience	V-8
V-3	Occupational Radiation Exposures Based on DOE Standards	V-9
V-4	Manpower and Time Requirements for Operational Modules	V-11

- V-5 Non-Nuclear Occupational Injuries During Construction of New Facilities V-13
- V-6 Non-Nuclear Occupational Injuries During the Operating Campaign V-14
- V-7 Injury Rates During Construction of New Facilities V-15
- V-8 Injury Rates During Routine Operations V-16
- V-9 DOE Radiation Exposure Limits to Offsite Individuals V-16
- V-10 Typical State and Federal Air and Water Quality Standards V-19
- V-11 Compliance by SRP with S.C. Standards for Temperature in the Savannah River V-22
- V-12 Summary of Exposure Risks for Alternative 1 – Storage of Waste as Sludge and Damp Salt Cake in Onsite Waste Tanks V-28
- V-13 Summary of Exposure Risks for Alternative 2, Subcase 1 – Glass Stored in Offsite Geologic Storage V-29
- V-14 Summary of Exposure Risks for Alternative 2, Subcase 2 – Glass Stored in Onsite Surface Storage Facility V-30
- V-15 Summary of Exposure Risks for Alternative 2, Subcase 3 – Glass Stored in SRP Bedrock V-31
- V-16 Summary of Exposure Risks for Alternative 3 – Unprocessed Waste Slurry Stored in SRP Bedrock V-32
- V-17 Moderate and Nondesign Basis Accidents Postulated in a Repository in Salt V-33
- V-17A Possible Exposures and Risks from Geologic Repository V-34
- V-18 Radionuclide Deposition Limits for Evacuation and Restrictions on Farming V-34
- V-19 Radiation Dose Criteria V-35
- V-20 Contamination Effects from Sabotage During Removal of Waste from Tanks V-36
- V-21 Contamination Effects from Sabotage During Waste Processing V-36
- V-22 Dose to Individual Drinking River Water and/or Eating Fish After Runoff from Decontaminated Salt Tanks Damaged by an Earthquake V-44

V-23	Salt Storage Risk and Cost	V-45
V-24	Radiation Doses for Salt Shipments Under Normal Conditions	V-46
VI-1	Unavoidable Radiation Exposures	VI-2
VI-2	Expected Lost-Workday Injuries and Fatalities	V-3
VII-1	Irreversible and Irretrievable Commitment of Resources	VII-2
IX-1	Summary of Long-Term and Short-Term Costs and Nuclear Risks	IX-3
XI-1	Radionuclide Deposition Limits for Evacuation and Restrictions on Farming	XI-3
XI-2	Radiation Dose Criteria	XI-3
XI-3	Contamination Effects from Sabotage During Removal of Waste from Tanks	XI-4
XI-4	Contamination Effects from Sabotage During Waste Processing	XI-4
XI-5	Summary of Costs and Exposure Risks for Alternative 1	XI-9
XI-6	Summary of Costs and Exposure Risks for Alternative 2 - Subcase 1	XI-10
XI-7	Summary of Costs and Exposure Risks for Alternative 2 - Subcase 2	XI-11
XI-8	Summary of Costs and Exposure Risks for Alternative 2 - Subcase 3	XI-12
XI-9	Summary of Costs and Exposure Risks for Alternative 3	XI-13
XI-10	Comparison of Radiation Risks from Waste Management Operations with Other Sources	XI-14
XI-11	Corrective Actions for Typical Events	XI-19
XII-1	Quantifiable Environmental Impacts	XII-3
XII-2	Summary of Unquantifiable Factors	XII-4
XII-3	Summary of Long-Term and Short-Term Costs and Nuclear Risks	XII-5

LIST OF FIGURES

- III-1 Location of SRP Relative to Surrounding
 Population Centers III-2
- III-2 The Savannah River Plant III-3
- III-3 Profile of Geologic Formation Beneath the
 Savannah River Plant III-5
- III-4 Hydrostatic Head in Ground Water Near H Area III-8
- III-5 Flow in Tuscaloosa Aquifer III-10
- III-6 Distribution of Population in Region Surrounding
 the Savannah River Plant III-15
- III-7 Projection of Population in Region Surrounding
 the Savannah River Plant for the Year 2000 III-16
-
- IV-1 Radionuclide Composition of SRP Waste IV-5
- IV-2 Radionuclide Composition of Waste IV-6
- IV-3 Radionuclide Composition of Waste IV-7
- IV-4 Conceptual Waste Solidification Process IV-13
- IV-5 National HLW Long-Term Management Program
 Waste Form Selection IV-34