

LIST OF TABLES

<u>Table</u>		<u>Page</u>
2-1	Typical L-Reactor operating parameters.....	2-15
2-2	Comparison of safety system alternatives.....	2-27
2-3	Comparison of cooling water alternatives.....	2-28
2-4	Tritium releases from disassembly-basin water disposal alternatives--tenth year.....	2-33
2-5	Offsite doses from disassembly-basin water disposal alternatives --tenth year.....	2-33
2-6	Comparison of impacts for the preferred mitigation alternatives and the no-action alternative.....	2-35
3-1	Distribution of SRP employees by place of residence.....	3-9
3-2	1980 population for counties and places of 1000 persons or greater.....	3-10
3-3	Seven-day low-flow conditions on the Savannah River at Savannah River Plant.....	3-17
3-4	Summary of Savannah River flow and temperature measurements 3 kilometers above and 16 kilometers below Savannah River Plant, 1979-1982.....	3-19
3-5	Mean maximum daily temperature, 1960-1969.....	3-20
3-6	Reactor-Area discharges to Steel Creek.....	3-23
3-7	Steel Creek stream characteristics.....	3-24
3-8	Hydrostratigraphic units in the vicinity of SRP.....	3-26
3-9	Flow paths at L-affected areas.....	3-34
3-10	Average and extreme temperatures at Savannah River Plant, 1961-1981.....	3-41
3-11	Average monthly wind speed for Augusta, Georgia, 1951-1981 and WJBF-TV tower, 1966-1977.....	3-41
3-12	Precipitation at Savannah River Plant, 1952-1982.....	3-44
3-13	Extreme wind speeds for SRP area.....	3-45
3-14	Tornado occurrence by month.....	3-46
3-15	Major sources of radiation exposure in the vicinity of Savannah River Plant.....	3-63
3-16	Radionuclide concentrations in L-Area seepage basin soil.....	3-64
3-17	Range of cesium-137 concentrations (pCi/g dry weight) of soil types in Steel Creek, 1981.....	3-66
3-18	Mean radiocesium concentration in soils of Steel Creek floodplain by soil particle size.....	3-67
4-1	A comparison of ichthyoplankton entrainment for 1977 and 1982, and 1983.....	4-5
4-2	Estimated numbers of fish that would be lost annually due to impingement under average river flow conditions.....	4-7
4-3	Predicted seasonal water temperatures of Steel Creek as a result of L-Reactor operation and direct discharge.....	4-12
4-4	Projected L-Reactor contribution to the mixed river temperature increase during August.....	4-18
4-5	Sources of effluent streams to Steel Creek from L-Area.....	4-20
4-6	Comparison of L-Area effluents with water-quality standards and Savannah River and Steel Creek measurements.....	4-21
4-7	Air pollutant emissions from K-Area steam plant and from sources supporting L-Reactor operation.....	4-24
4-8	Expected annual atmospheric releases from L-Reactor operation....	4-27

LIST OF TABLES (Continued)

<u>Table</u>		<u>Page</u>
4-9	Expected average annual liquid radioactive releases from L-Reactor operation.....	4-30
4-10	Annual total-body dose to maximally exposed individual from atmospheric releases from L-Reactor.....	4-31
4-11	Annual total-body dose to maximally exposed individual from liquid releases from L-Reactor.....	4-31
4-12	Population total-body doses from liquid releases from L-Reactor operation.....	4-32
4-13	Estimated cesium-137 remobilization from Steel Creek compared with current transport values.....	4-34
4-14	Estimated cobalt-60 remobilization from Steel Creek compared with current transport values.....	4-35
4-15	First-year dose to the maximally exposed individual from redistribution of cesium-137 and cobalt-60 from Steel Creek....	4-37
4-16	First-year population dose from redistribution of cesium-137 and cobalt-60 from Steel Creek.....	4-37
4-17	Summary of total-body dose commitments from the operation of L-Reactor.....	4-38
4-18	Total doses to workers in P-, K-, and C-Areas.....	4-39
4-19	Activity of radionuclides (typical) for one SRP fuel assembly at saturation.....	4-42
4-20	Calculated radiation dose to a person at the SRP site boundary following four specific accidents.....	4-58
4-21	Risk evaluation of postulated serious accidents.....	4-60
4-22	Consequences from a postulated accident resulting in 10-percent core melt.....	4-64
4-23	Average values of environmental risks due to a 10-percent core melt, per reactor-year.....	4-65
4-24	Annual probabilities of a tornado strike at L-Reactor for midpoints of the Fujita tornado intensity scale.....	4-70
4-25	Return of 1-minute wind speeds at Augusta, Georgia.....	4-70
4-26	Transportation-related nonradiological emission of pollutants associated with L-Reactor operation.....	4-74
4-27	Annual onsite risk during transportation for L-Area.....	4-77
4-28	Annual radiological risk to the public from potential transportation accidents.....	4-77
4-29	Comparison of safety system alternatives.....	4-86
4-30	Calculated ambient temperatures (°C) for selected locations along Steel Creek during summer, spring, and winter.....	4-88
4-31	Temperatures (°C) downstream in Steel Creek with direct discharge.....	4-94
4-32	Temperatures (°C) downstream in Steel Creek with once-through discharge using a spray canal.....	4-101
4-33	Temperatures (°C) downstream in Steel Creek with small lakes....	4-105
4-34	Temperatures (°C) downstream in Steel Creek with small lakes and one set of spray coolers.....	4-107
4-35	Temperatures (°C) downstream in Steel Creek with small lakes and two sets of spray coolers.....	4-109
4-36	Temperatures (°C) downstream in Steel Creek with a single 500-acre lake.....	4-113

LIST OF TABLES (Continued)

<u>Table</u>		<u>Page</u>
4-37	Temperatures (°C) downstream in Steel Creek with a 500-acre lake with spray cooling (one set of sprays).....	4-116
4-38	Temperatures (°C) downstream in Steel Creek with a 500-acre lake with spray cooling.....	4-120
4-39	Temperatures (°C) downstream in Steel Creek with a 1000-acre lake.....	4-124
4-40	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (2.8° approach).....	4-135
4-41	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (5.6° approach).....	4-136
4-42	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (2.8°C approach)--canal to swamp.....	4-140
4-43	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (5.6°C approach)--canal to swamp.....	4-141
4-44	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (8.4°C approach)--canal to swamp.....	4-141
4-45	Temperatures (°C) downstream in Steel Creek with a once-through cooling tower (2.8°C approach)--spray canal and canal to swamp.....	4-144
4-46	Temperatures (°C) downstream in Steel Creek with once-through cooling towers (5.6°C approach) with a spray canal and canal to the swamp.....	4-144
4-47	Temperatures (°C) downstream in Steel Creek with total recirculation cooling towers (2.8°C approach).....	4-152
4-48	Temperatures (°C) downstream in Steel Creek with total recirculation cooling towers (8.4°C approach).....	4-152
4-49	Temperatures (°C) downstream in Steel Creek with a total-recirculation cooling tower (2.8°C approach) with blowdown treatment (refrigeration)....	4-158
4-50	Cooling-water usage for cooling-tower system with partial recirculation (2.8°C approach temperature tower).....	4-159
4-51	Temperatures (°C) downstream in Steel Creek with cooling towers with partial recirculation (2.8°C approach).....	4-160
4-52	Temperatures (°C) downstream in Steel Creek with partial recirculation with refrigeration (2.8°C approach).....	4-164
4-53	Fish species impacted by direct discharge to Steel Creek.....	4-187
4-54	Criteria for selecting fish species for mitigation alternatives..	4-189
4-55	Yearly operational and total costs for mitigation alternatives...	4-192
4-56	Comparison of cooling-water alternatives.....	4-194
4-57	Expected average annual liquid releases of radionuclides to the L-Area seepage basin--tenth year.....	4-199
4-58	Tritium releases from disassembly-basin water disposal alternatives--tenth year.....	4-201
4-59	Offsite doses from disassembly-basin water disposal alternatives--tenth year.....	4-202
4-60	Reactor tritium releases from SRP operation.....	4-206
4-61	Expected average annual liquid radioactive releases from L-Reactor operation (curies per year).....	4-217
4-62	Timber value and annual growth.....	4-218

LIST OF TABLES (Continued)

<u>Table</u>		<u>Page</u>
4-63	Temperatures (°C) downstream in Steel Creek below the 1000-acre lake.....	4-228
4-64	Expected annual atmospheric releases from L-Reactor operation....	4-232
4-65	Summary of total-body dose commitments from the operation of L-Reactor.....	4-233
4-66	Total doses to workers in P-, K-, and C-Areas.....	4-234
5-1	Mean concentrations in F- and H-Area seepage basin monitoring wells.....	5-4
5-2	Estimated incremental nonradioactive releases to seepage basins, the separations areas, and the fuel/target fabrication area....	5-5
5-3	Water quality of the Savannah River and Four Mile Creek above the C-Reactor outfall, and predicted L-Reactor incremental changes in concentrations in Four Mile Creek resulting from incremental discharges to the Separations Area seepage basins.....	5-8
5-4	Mean concentrations in M-Area seepage basin and Lost Lake monitoring wells.....	5-11
5-5	Expected incremental effluent concentrations from chemical separations areas (F and H) to surface streams.....	5-15
5-6	Summary of air pollutant releases from L-Reactor support facilities.....	5-16
5-7	Estimated L-Reactor Support incremental ground-water usage and effects.....	5-18
5-8	Decline in Tuscaloosa Aquifer water levels due to pumping at all SRP facilities.....	5-21
5-9	Estimated incremental releases of radionuclides to surface streams due to operation of L-Reactor support facilities.....	5-23
5-10	Incremental radionuclide releases to seepage basins from support facilities.....	5-23
5-11	Estimated incremental releases of radionuclides to streams from seepage basins due to operation of support facilities.....	5-24
5-12	Estimated incremental annual average releases of radionuclides to the atmosphere from operation of L-Reactor support facilities.....	5-25
5-13	Summary of total-body dose commitments from L-Reactor support facility operation.....	5-27
5-14	Summary of maximum individual and regional population total-body dose from the operation of L-Reactor and SRP support facilities for the reference case.....	5-29
5-15	Maximum individual and regional population total-body dose from the operation of L-Reactor and SRP support facilities.....	5-36
5-16	Cumulative SRP socioeconomic impact on six-county area.....	5-38
5-17	Cumulative SRP economic impact analysis, end of third quarter 1986.....	5-39
5-18	Distribution of forested wetlands for the principal streams of the SRP.....	5-43
5-19	Steel Creek delta impacts.....	5-44
5-20	Areal extent of reactor-effluent effects on the Savannah River swamp forest bordering the Savannah River Plant.....	5-45

LIST OF TABLES (Continued)

<u>Table</u>		<u>Page</u>
5-21	Numbers of fish that would be lost annually due to impingement under average river flow conditions.....	5-48
5-22	Cumulative total-body doses from L-Reactor operation and other nearby nuclear facilities.....	5-50
5-23	Estimated annual average concentrations of radionuclides in air, milk, and water from routine operating releases.....	5-52
5-24	Cumulative total-body doses from L-Reactor operation and other nearby nuclear facilities.....	5-59
7-1	Required regulatory permits and notifications.....	7-2